

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

**Product identifier:** Carfume Classic Car Air Freshener - Soothing Vanilla (Contains:4-tert-Butylcyclohexyl acetate, alpha-Amylcinnamaldehyde, alpha-Methyl-1,3-benzodioxole-5-propionaldehyde, alpha-iso-Methylionone)

**Other identifiers:** None

**Unique Formula Identifier (UFI):** JV10-00UC-T009-YPHQ

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product uses:** Fragrances

#### 1.3 Details of the supplier of the safety data sheet

**Company name:** CFSMUK Ltd

**Company address:** 50 Roseville Road  
Leeds  
LS8 5DR  
UK

**Contact:** Emergency Contact

**E-Mail address:** enquiries@carfume.co.uk

**Company phone:** 0333 323 2571

#### 1.4 Emergency telephone number

**Emergency phone:** 0333 323 2571

### Section 2. Hazards identification

#### 2.1 Classification of the substance or mixture

##### **Classification under Regulation (EC) No 1272/2008**

**Class and category of danger:** Flammable Liquid, Hazard Category 3  
Eye Damage / Irritation Category 2  
Sensitization - Skin Category 1  
Hazardous to the Aquatic Environment - Long-term Hazard Category 3  
H226, Flammable liquid and vapour.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H412, Harmful to aquatic life with long lasting effects.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### 2.2 Label elements

#### Classification under Regulation (EC) No 1272/2008

**Signal word:** Warning

**Hazard statements:** H226, Flammable liquid and vapour.  
H317, May cause an allergic skin reaction.  
H319, Causes serious eye irritation.  
H412, Harmful to aquatic life with long lasting effects.

**Supplemental Information:** EUH208, Contains 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one, Linalool, Methyl-beta-ionone, Reaction mass of 1-[(1R\*,6S\*)-2,2,6-trimethylcyclohexyl]hexan-3-ol and 1-[(1S\*,6S\*)-2,2,6-trimethylcyclohexyl]hexan-3-ol. May produce an allergic reaction.

**Precautionary statements:** P210, Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  
P233, Keep container tightly closed.  
P240, Ground/bond container and receiving equipment.  
P241, Use explosion-proof electrical, ventilating and lighting equipment.  
P242, Use only non-sparking tools.  
P243, Take precautionary measures against static discharge.  
P261, Avoid breathing vapour or dust.  
P264, Wash hands and other contacted skin thoroughly after handling.  
P272, Contaminated work clothing should not be allowed out of the workplace.  
P273, Avoid release to the environment.  
P280, Wear protective gloves/eye protection/face protection.  
P303/361/353, IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.  
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P333/313, If skin irritation or rash occurs: Get medical advice/attention.  
P337/313, If eye irritation persists: Get medical advice/attention.  
P363, Wash contaminated clothing before reuse.  
P370/378, In case of fire: Use carbon dioxide, dry chemical, foam for extinction.  
P403/235, Store in a well-ventilated place. Keep cool.  
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.

**Pictograms:**



## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

**Unique Formula Identifier (UFI):** JV10-00UC-T009-YPHQ

### 2.3 Other hazards

**Other hazards:** Sensitisers declared on a CLP Hazard Label: 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone, 1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one, Linalool, Methyl-beta-ionone, Reaction mass of 1-[(1R\*,6S\*)-2,2,6-trimethylcyclohexyl]hexan-3-ol and 1-[(1S\*,6S\*)-2,2,6-trimethylcyclohexyl]hexan-3-ol

Hydrocarbon Concentration %: 0.0000%

### Section 3. Composition / information on ingredients

#### 3.2 Mixtures

##### Contains:

| Name                                                                     | CAS         | EC        | REACH Registration No. | %       | Classification for (CLP) 1272/2008                              | Specific Conc. Limits, M-factors and ATEs |
|--------------------------------------------------------------------------|-------------|-----------|------------------------|---------|-----------------------------------------------------------------|-------------------------------------------|
| 4-tert-Butylcyclohexyl acetate                                           | 32210-23-4  | 250-954-9 |                        | 10-<20% | Skin Sens. 1B;H317,-                                            | oral: ATE = 3370 mg/kg bw                 |
| Ethyl alcohol                                                            | 64-17-5     | 200-578-6 |                        | 5-<10%  | Flam. Liq. 2-Eye Irrit. 2; H225-H319,-                          |                                           |
| Benzyl acetate                                                           | 140-11-4    | 205-399-7 |                        | 1-<5%   | Aquatic Chronic 3; H412,-                                       | oral: ATE = 2490 mg/kg bw                 |
| Dihydromyrcenol                                                          | 18479-58-8  | 242-362-4 |                        | 1-<5%   | Skin Irrit. 2-Eye Irrit. 2; H315-H319,-                         | oral: ATE = 3600 mg/kg bw                 |
| p-Methoxybenzaldehyde                                                    | 123-11-5    | 204-602-6 |                        | 1-<5%   | Aquatic Chronic 3; H412,-                                       | oral: ATE = 3210 mg/kg bw                 |
| Propyl (2S)-2-(1,1-dimethylpropoxy)-propanoate                           | 319002-92-1 | 437-530-0 |                        | 1-<5%   | Aquatic Chronic 3; H412,-                                       |                                           |
| alpha-Methyl-1,3-benzodioxole-5-propionaldehyde                          | 1205-17-0   | 214-881-6 |                        | 1-<5%   | Skin Sens. 1B-Repr. 2-Aquatic Chronic 2; H317-H361-H411,-       | oral: ATE = 3562 mg/kg bw                 |
| alpha-iso-Methylionone                                                   | 127-51-5    | 204-846-3 |                        | 1-<5%   | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-                     |                                           |
| alpha-Amylcinnamaldehyde                                                 | 122-40-7    | 204-541-5 |                        | 1-<5%   | Skin Sens. 1B-Aquatic Chronic 2;H317-H411,-                     | oral: ATE = 3730 mg/kg bw                 |
| Linalool                                                                 | 78-70-6     | 201-134-4 |                        | 1-<5%   | Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-       | oral: ATE = 2790 mg/kg bw                 |
| Undecanal                                                                | 112-44-7    | 203-972-6 |                        | 0.1-<1% | Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 1;H315-H410,-     | M = 1-M = 1                               |
| 1-(2,6,6-Trimethyl-2-cyclohexen-1-yl)pent-1-en-3-one                     | 7779-30-8   | 231-926-5 |                        | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,- |                                           |
| cis-3-Hexenyl salicylate                                                 | 65405-77-8  | 265-745-8 |                        | 0.1-<1% | Aquatic Acute 1-Aquatic Chronic 2; H400-H411,-                  | M = 1-oral: ATE = 2500 mg/kg bw           |
| 1-(1,2,3,4,5,6,7,8-Octahydro-2,3,8,8-tetramethyl-2-naphthalenyl)ethanone | 54464-57-2  | 259-174-3 |                        | 0.1-<1% | Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2; H315-H317-H411,- |                                           |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

|                                                                                                                          |                                                                                                    |           |  |         |                                                                           |                              |
|--------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------|--|---------|---------------------------------------------------------------------------|------------------------------|
| Benzyl benzoate                                                                                                          | 120-51-4                                                                                           | 204-402-9 |  | 0.1-<1% | Acute Tox. 4-Aquatic<br>Acute 1-Aquatic<br>Chronic 2;H302-H400-<br>H411,- | oral: ATE = 1160<br>mg/kg bw |
| Cyclohexadec-8-en-1-one mixture of cis and trans isomer                                                                  | 3100-36-5,<br>88642-03-9,<br>5365-06-0,<br>2550-59-6,<br>5120-20-7,<br>854373-71-0,<br>854373-70-9 | 401-700-2 |  | 0.1-<1% | Aquatic Acute 1-<br>Aquatic Chronic 1;<br>H410,-                          |                              |
| Reaction mass of 1-[(1R*,6S*)-2,2,6-trimethylcyclohexyl]hexan-3-ol and 1-[(1S*,6S*)-2,2,6-trimethylcyclohexyl]hexan-3-ol | 70788-30-6                                                                                         |           |  | 0.1-<1% | Skin Sens. 1B-Aquatic<br>Acute 1-Aquatic<br>Chronic 1;H317-H410,-         |                              |
| Methyl-beta-ionone                                                                                                       | 127-43-5                                                                                           | 204-843-7 |  | 0.1-<1% | Skin Irrit. 2-Skin Sens.<br>1B-Aquatic Chronic 2;<br>H315-H317-H411,-     |                              |

### Substances with Community workplace exposure limits:

Not Applicable

### Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

### Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

## Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.

**Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause an allergic skin reaction.

Causes serious eye irritation.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### Section 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

#### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits: Not Applicable

#### 8.2 Exposure Controls

##### Eye / Skin Protection

Wear protective gloves/eye protection/face protection

##### Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

|                                                                  |                    |
|------------------------------------------------------------------|--------------------|
| <b>Physical State/Colour:</b>                                    | Pale Yellow Liquid |
| <b>Odour:</b>                                                    | Not determined     |
| <b>Odour threshold:</b>                                          | Not determined     |
| <b>Melting point / freezing point:</b>                           | Not determined     |
| <b>Boiling point or initial boiling point and boiling range:</b> | Not determined     |
| <b>Flammability:</b>                                             | Not determined     |
| <b>Lower and upper explosion limit:</b>                          | Not determined     |
| <b>Flash point:</b>                                              | 52 °C              |
| <b>Auto-ignition temperature:</b>                                | Not determined     |
| <b>Decomposition temperature:</b>                                | Not relevant       |
| <b>pH:</b>                                                       | Not determined     |
| <b>Kinematic viscosity:</b>                                      | Not determined     |
| <b>Solubility:</b>                                               | Not determined     |
| <b>Partition coefficient: n-octanol/water (log value):</b>       | Not determined     |
| <b>Vapour pressure:</b>                                          | 7.029467 mmHg      |
| <b>Density and/or relative density:</b>                          | 0.9520 - 0.9720    |
| <b>Relative vapour density:</b>                                  | Not determined     |
| <b>Particle characteristics:</b>                                 | Not determined     |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### **10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

#### **10.2 Chemical stability:**

Good stability under normal storage conditions.

#### **10.3 Possibility of hazardous reactions:**

Not expected under normal conditions of use.

#### **10.4 Conditions to avoid:**

Avoid extreme heat.

#### **10.5 Incompatible materials:**

Avoid contact with strong acids, alkalis or oxidising agents.

#### **10.6 Hazardous decomposition products:**

Not expected.

### Section 11. Toxicological information

#### **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

|                                           |                                                                  |
|-------------------------------------------|------------------------------------------------------------------|
| <b>Acute Toxicity:</b>                    | Based on available data the classification criteria are not met. |
| Acute Toxicity Oral                       | >5000                                                            |
| Acute Toxicity Dermal                     | Not Applicable                                                   |
| Acute Toxicity Inhalation                 | Not Available                                                    |
| <b>Skin corrosion/irritation:</b>         | Based on available data the classification criteria are not met. |
| <b>Serious eye damage/irritation:</b>     | Eye Damage / Irritation Category 2                               |
| <b>Respiratory or skin sensitisation:</b> | Sensitization - Skin Category 1                                  |
| <b>Germ cell mutagenicity:</b>            | Based on available data the classification criteria are not met. |
| <b>Carcinogenicity:</b>                   | Based on available data the classification criteria are not met. |
| <b>Reproductive toxicity:</b>             | Based on available data the classification criteria are not met. |
| <b>STOT-single exposure:</b>              | Based on available data the classification criteria are not met. |
| <b>STOT-repeated exposure:</b>            | Based on available data the classification criteria are not met. |
| <b>Aspiration hazard:</b>                 | Based on available data the classification criteria are not met. |

#### **Information about hazardous ingredients in the mixture**

Not Applicable

Refer to Sections 2 and 3 for additional information.

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### 11.2 Information on other hazards

Not Applicable

## Section 12. Ecological information

### 12.1 Toxicity:

Harmful to aquatic life with long lasting effects.

**12.2 Persistence and degradability:** Not available

**12.3 Bioaccumulative potential:** Not available

**12.4 Mobility in soil:** Not available

### 12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable

**12.7 Other adverse effects:** Not available

## Section 13. Disposal considerations

### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## Section 14. Transport information

|                      | 14.1 UN number: | 14.2 UN Proper Shipping Name: | 14.3 Transport hazard class (es): | Sub Risk: | 14.4 Packing Group: |
|----------------------|-----------------|-------------------------------|-----------------------------------|-----------|---------------------|
| UN Model Regulations | UN1197          | EXTRACTS, LIQUID              | 3                                 | -         | III                 |
| IMDG                 | UN1197          | EXTRACTS, LIQUID              | 3                                 | -         | III                 |
| ADR,RID,ADN          | UN1197          | EXTRACTS, LIQUID              | 3                                 | -         | III                 |
| ICAO TI              | UN1197          | EXTRACTS, LIQUID              | 3                                 | -         | III                 |

**14.5 Environmental hazards:** Not environmentally hazardous for transport

**14.6 Special precautions for user:** None additional

**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:**

Not applicable

## Section 15. Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

None additional

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### Section 16. Other information

**Concentration % Limits:** EDI 2=76.10% SS 1=5.26% EH C3=12.23%

**Total Fractional Values:** EDI 2=1.31 SS 1=19.00 EH C3=8.18

### Key to revisions:

Not applicable

### Key to abbreviations:

| Abbreviation      | Meaning                                                                   |
|-------------------|---------------------------------------------------------------------------|
| Acute Tox. 4      | Acute Toxicity - Oral Category 4                                          |
| Aquatic Acute 1   | Hazardous to the Aquatic Environment - Acute Hazard Category 1            |
| Aquatic Chronic 1 | Hazardous to the Aquatic Environment - Long-term Hazard Category 1        |
| Aquatic Chronic 2 | Hazardous to the Aquatic Environment - Long-term Hazard Category 2        |
| Aquatic Chronic 3 | Hazardous to the Aquatic Environment - Long-term Hazard Category 3        |
| Eye Irrit. 2      | Eye Damage / Irritation Category 2                                        |
| Flam. Liq. 2      | Flammable Liquid, Hazard Category 2                                       |
| H225              | Highly flammable liquid and vapour.                                       |
| H302              | Harmful if swallowed.                                                     |
| H315              | Causes skin irritation.                                                   |
| H317              | May cause an allergic skin reaction.                                      |
| H319              | Causes serious eye irritation.                                            |
| H361              | Suspected of damaging fertility or the unborn child (exposure route).     |
| H400              | Very toxic to aquatic life.                                               |
| H410              | Very toxic to aquatic life with long lasting effects.                     |
| H411              | Toxic to aquatic life with long lasting effects.                          |
| H412              | Harmful to aquatic life with long lasting effects.                        |
| P202              | Do not handle until all safety precautions have been read and understood. |
| P210              | Keep away from heat, sparks, open flames and hot surfaces. - No smoking.  |
| P233              | Keep container tightly closed.                                            |
| P240              | Ground/bond container and receiving equipment.                            |
| P241              | Use explosion-proof electrical, ventilating and lighting equipment.       |
| P242              | Use only non-sparking tools.                                              |
| P243              | Take precautionary measures against static discharge.                     |
| P261              | Avoid breathing vapour or dust.                                           |
| P264              | Wash hands and other contacted skin thoroughly after handling.            |
| P270              | Do not eat, drink or smoke when using this product.                       |
| P272              | Contaminated work clothing should not be allowed out of the workplace.    |
| P273              | Avoid release to the environment.                                         |

## SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

**Product:** Carfume Classic Car Air Freshener - Soothing Vanilla

**Version:** 1

|               |                                                                                                                                  |
|---------------|----------------------------------------------------------------------------------------------------------------------------------|
| P280          | Wear protective gloves/eye protection/face protection.                                                                           |
| P301/312      | IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.                                                       |
| P302/352      | IF ON SKIN: Wash with plenty of soap and water.                                                                                  |
| P303/361/353  | IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.                       |
| P305/351/338  | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308/313      | IF exposed or concerned: Get medical advice/attention.                                                                           |
| P330          | Rinse mouth.                                                                                                                     |
| P332/313      | If skin irritation occurs: Get medical advice/attention.                                                                         |
| P333/313      | If skin irritation or rash occurs: Get medical advice/attention.                                                                 |
| P337/313      | If eye irritation persists: Get medical advice/attention.                                                                        |
| P362          | Take off contaminated clothing and wash before reuse.                                                                            |
| P363          | Wash contaminated clothing before reuse.                                                                                         |
| P370/378      | In case of fire: Use carbon dioxide, dry chemical, foam for extinction.                                                          |
| P391          | Collect spillage.                                                                                                                |
| P403/235      | Store in a well-ventilated place. Keep cool.                                                                                     |
| P405          | Store locked up.                                                                                                                 |
| P501          | Dispose of contents/container to approved disposal site, in accordance with local regulations.                                   |
| Repr. 2       | Toxic to Reproduction Category 2                                                                                                 |
| Skin Irrit. 2 | Skin Corrosion / Irritation Category 2                                                                                           |
| Skin Sens. 1B | Sensitization - Skin Category 1B                                                                                                 |

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.